

Product Name: Milpro Film Coated Tablets for Small Cats and Kittens
APVMA Approval No: 84435 - 110411



Label Name:	Milpro Film Coated Tablets for Small Cats and Kittens
Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY
Constituent Statements:	Active constituents: Each tablet contains 10 mg Praziquantel, 4 mg Milbemycin Oxime
Claims:	<ul style="list-style-type: none">• treat and control roundworm (<i>Toxocara cati</i>, <i>Toxascaris leonina</i>)• treat and control hookworm (<i>Ancylostoma tubaeforme</i>)• treat and control tapeworm (<i>Dipylidium caninum</i>, <i>Taenia</i> spp.)• prevent heartworm (<i>Dirofilaria immitis</i>).
Net Contents:	2, 4, 24 Tablets
Directions for Use:	
Restrains:	
Contraindications:	This formulation is not suitable for dogs.
Precautions:	Caution should be taken in the case of concurrent use of the product and other macrocyclic lactones. The safety of Milpro in heartworm positive cats has not been established. An examination for existing heartworm infection prior to commencement of treatment is recommended. Consult a veterinarian
Side Effects:	

Dosage and Administration:	<p>Milpro Tablets should be administered orally, either with or after food.</p> <p>Weight Tablets 0.5 - 1.0kg 1/2 tablet >1.0 - 2.0kg 1 tablet For cats over 2.0kg, Milpro Film Coated Tablets for Cats should be used.</p> <p>Half tablets may be kept for use in the original blister in the product carton for up to six months after the initial half tablet was used. The recommended minimum dose of Milpro is 2 mg/kg milbemycin oxime and 5 mg/kg praziquantel.</p> <p>Milpro Tablets have a liver flavoured coating to increase palatability. The tablets may be hidden in food, or may be accepted from the hand. When administering Milpro Tablets, be certain that the entire dose is consumed. The cat should be watched for several minutes following dosing to be sure that all tablet(s) have been eaten. If all the medicine is not eaten, redose as soon as possible, with the full dose.</p>
----------------------------	---

General Directions:	<p>For control of gastrointestinal worms and tapeworms: Milpro Film Coated Tablets for Small Cats and Kittens should be administered to cats and kittens weighing 0.5 - 2kg. Kittens should be treated at 6, 8 and 12 weeks of age, then every three months. Growing kittens may gain sufficient weight during the course of treatment to require an increased dose of Milpro Tablets. Adult cats should be treated every 3 months. Pregnant queens should be treated at mating, before birth of kittens and then every 3 months. Nursing queens should be treated at the same time as their kittens.</p> <p>For heartworm prevention: Milpro Tablets must be administered orally every month, preferably on the same date each month. If you miss the monthly interval, administer Milpro immediately and resume your monthly dosage schedule</p> <p>If worm problems persist, consult a veterinarian.</p> <p>Fleas are intermediate hosts for tapeworm (<i>Dipylidium caninum</i>). Effective flea control will reduce the incidence of tapeworm.</p>
---------------------	---

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

Safety Directions:	
--------------------	--

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
-------------------------	---

First Aid Warnings:	
---------------------	--

Additional User Safety:	
-------------------------	--